EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1	@ad<"20031027" and ("6907470" or "20030046390" or "7054951" or "7075886") and span$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 12:45
L4	10	@ad<"20031027" and ("6907470" or "20030046390" or "7054951" or "7075886") and (switch$3 link$3 up down on off open$3 clos $3 detection logic unit inform$3 config$7 validat $3 check$3 associat$3 port non-function$3 non function$3 respond$3 discard$3 all packet$7 datagram block frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 13:16
L5	3	@ad<"20031027" and ("6907470" or "20030046390" or "7054951" or "7075886") and (switch$3 link$3 up down on off open$3 clos $3 detection logic unit inform$3 config$7 validat $3 check$3 associat$3 port non-function$3 non function$3 respond$3 discard$3 all packet$7 datagram block frame) and discard$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 13:18
L6	3	@ad<"20031027" and ("6907470" or "20030046390" or "7054951" or "7075886") and (switch$3 link$3 up down on off open$3 clos $3 detection logic unit inform$3 config$7 validat $3 check$3 associat$3 port non-function$3 non function$3 respond$3 discard$3 all packet$7 datagram block frame) and discard$3 and destin $5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 13:25

L9	3	@ad<"20031027" and ("6907470" or "20030046390" or "7054951" or "7075886") and (link$3 up down on off open$3 clos$3 detection port non-function$3 non function $3 rout$3 behav$4 topology config$7) and discard$3 and destin$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 13:38
L10	2	@ad<"20031027" and ("20030046390") and (link$3 up down on off open$3 clos$3 detection port non-function$3 non function$3 rout$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 14:24
L11	8	@ad<"20031027" and ("6907470" or "20030046390" or "7054951" or "7075886") and (request$3 id identi $5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 14:30
L12	8	@ad<"20031027" and ("6907470" or "20030046390" or "7054951" or "7075886") and (request$3 id identi $5 match$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 14:34
L13	9	@ad<"20031027" and ("6907470" or "20030046390" or "7054951" or "7075886") and (request$3 id identi $5 match$3 topology config$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 14:36
L14	9	@ad<"20031027" and ("6907470" or "20030046390" or "7054951" or "7075886") and (request$3 id identi $5 match$3 topology config$7 discard$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 14:38
L15	6	@ad<"20031027" and ("6907470" or "20030046390" or "7054951" or "7075886") and (request$3 id identi $5 match$3 topology config$7) and (permi$5 allow$4 pass$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 14:47

L16	7	@ad<"20031027" and ("6907470" or "20030046390" or "7054951" or "7075886") and (compar$3 topology external$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 14:58
S122	1015	@ad<"20031027" and (709/243.ccls. or 370/254.ccls. or 370/400.ccls. or 370/401.ccls.) and (discard$3 near3 (packet$7 or datagram or block or cell or frame))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 16:17
S123	897	@ad<"20031027" and (709/243.ccls. or 370/254.ccls. or 370/400.ccls. or 370/401.ccls.) and ((chang$3 or adjust$4) near3 rout$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 16:31
S124	3	@ad<"20031027" and (709/243.ccls. or 370/254.ccls. or 370/400.ccls. or 370/401.ccls.) and ((discard$3 near3 (packet$7 or datagram or block or cell or frame)) same ((port or link) near3 (down or clos$3 or nonfunction$3 or non-function$3 or (non near3 function$3))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 16:35
S125	82	@ad<"20031027" and (709/243.ccls. or 370/254.ccls. or 370/400.ccls. or 370/401.ccls.) and (prevent$3 with topology)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 16:43
S126	6	@ad<"20031027" and (709/243.ccls. or 370/254.ccls. or 370/400.ccls. or 370/401.ccls.) and (((configur$5 or topology) near3 (validat$3 or check$3)) and ((link or port) with (state or up or down or on or off) with detect$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 17:04
S127	1738	@ad<"20031027" and (709/243.ccls. or 370/254.ccls. or 370/400.ccls. or 370/401.ccls.) and (S122 or S123 or S124 or S125 or S126)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 18:30

S128	257	@ad<"20031027" and (709/243.ccls. or 370/254.ccls. or 370/400.ccls. or 370/401.ccls.) and (S122 or S123 or S124 or S125 or S126) and (identi$5 near3 value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 18:32
S129	0	@ad<"20031027" and ((adjust$4 near3 rout$3) and (discard$3 near3 (all or each or every) near3 (packet$7 or datagram or fram$3 or block or cell)) and ((topology or config $7) near3 information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/27 18:44
S130	0	((adjust$4 near3 rout$3) and (discard$3 near3 (all or each or every) near3 (packet$7 or datagram or fram$3 or block or cell)) and ((topology or config $7) near3 information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/27 18:45
S131	64	((adjust$4 near3 rout$3) and (discard$3 near3 (packet$7 or datagram or fram$3 or block or cell)) and ((topology or config $7) near3 information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/27 18:46
S132	38	@ad<"20031027" and ((adjust$4 near3 rout$3) and (discard$3 near3 (packet$7 or datagram or fram$3 or block or cell)) and ((topology or config $7) near3 information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/27 18:46
S133	10	@ad<"20031027" and ("6907470" or "20030046390" or "7054951" or "7075886") and (discard$3 packet$7 datagram block cell frame chang$3 adjust$4 rout$3 discard$3 packet $7 datagram block cell frame port link down clos $3 nonfunction$3 non-function$3 non function $3 prevent$3 topology configur$5 topology validat$3 check$3 link port state up down on off detect$3 adjust$4 rout$3 discard$3 packet$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/27 19:26

		datagram fram$3 block cell topology config$7 information)				
S134	10	@ad< "20031027" and ("6907470" or "20030046390" or "7054951" or "7075886") and (discard$3 packet$7 datagram block cell frame chang$3 adjust$4 rout$3 discard$3 packet $7 datagram block cell frame port link down clos $3 nonfunction$3 non-function$3 non function $3 prevent$3 topology configur$5 topology validat$3 check$3 link port state up down on off detect$3 adjust$4 rout$3 discard$3 packet$7 datagram fram$3 block cell topology config$7 information span$4 tree allow$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/27 20:39

4/28/2008 3:38:25 PM
C:\Documents and Settings\mfearer\My Documents\EAST\Workspaces\10694323.wsp